Self-inspection checklist

Company/Division:



Implementing and maintaining smoking controls

Please note: This is a Vero Insurance sample template only.

| Perform | ned by: | | | | | |
|----------------|---|--------------|----------|-------|---------------------|------------------|
| Location | n | | | | | |
| Date: | | | | | | |
| Any 'No | o' response should be explained. Note specific p | roblem, loca | tion and | impro | vement action to be | e taken. |
| Risk: Uncor | ntrolled smoking leads to fire. | | | | | |
| | | Yes | No | N/A | Comments | Completed (date) |
| | Smoking is banned within all buildings and within 4 n all entry points | n of 🗆 | | | | |
| | Signs depicting restriction are clearly displayed | | | | | |
| | No smoking rules are being obeyed and enforced | | | | | |
| | An external location to partake in smoking is provide e.g. 4 metres from building external wall, windows, doors, ventilation intakes etc. | d 🗆 | | | | |
| | Signs depicting this smoking location are clearly displayed | | | | | |
| | Cigarette butt bins are provided and emptied daily | | | | | |
| | General waste bins (other than cigarette bins) are provided and emptied daily | | | | | |
| | The smoking area is clean | | | | | |
| | A fire extinguisher or hose reel is immediately availal to this location | ble 🗆 | | | | |
| | | | | | | |
| | | | | Ιп | | |

The information contained in this Checklist is general in nature only and does not take into account your specific risks and hazards, nor does it imply insurance coverage. No representation or warranty, express or implied, is made as to the completeness of this Checklist and you should consider whether it adequately covers all of your hazards and risks. AAI Limited ABN 48 005 297 807, trading as Vero Insurance ("Vero") does not accept any legal responsibility or liability for negligence or otherwise to you or anyone else who seeks to rely on this Checklist. This includes, without limitation, loss arising from a possible failure of the Checklist to incorporate any applicable Australian Standards or identify any regulatory or statutory requirements or other risks or hazards beyond those mentioned in the Checklist.