Self-inspection checklist

Please note: This is a Vero Insurance sample template only.



Inspection and maintenance of smoke and heat detection

Company/Division:			
Performed by:			
Location			
Date:			

Date.											
Any 'No' response should be explained. Note specific problem, location and improvement action to be taken.											
Smok	e and heat detectors										
Can automatically detect a fire, transmit an alarm but can't control the fire like automatic fire sprinklers. Heat detectors are intended to minimize property damage by reacting to the change in temperature caused by a fire. Smoke detectors are intended to protect people and property by generating an alarm early in the development of a fire. This can be the difference between a minor accident and a major business shutdown.			(Insert your own photograph of an acceptable standard)								
		Yes	No	N/A	Comments	Completed (date)					
System is tested and maintained as per Australian Standard, with log books updated (e.g. monthly) inspection/test with annual full performance tests on at least 20% of the system											
	Maintenance log book is located at the main fire indicator panel (alarm panel)										
	The fire indicator panel is clearly visible, unobstructed and sign posted										
	The fire indicator panel indicates all systems are operational with no faults										
	Status of defects are known and actioned accordingly										
	Adequate clearance to detectors, e.g. 500 mm at least is maintained										
	Detectors are clean and free of debris										

The information contained in this Checklist is general in nature only and does not take into account your specific risks and hazards, nor does it imply insurance coverage. No representation or warranty, express or implied, is made as to the completeness of this Checklist and you should consider whether it adequately covers all of your hazards and risks. AAI Limited ABN 48 005 297 807, trading as Vero Insurance ("Vero") does not accept any legal responsibility or liability for negligence or otherwise to you or anyone else who seeks to rely on this Checklist. This includes, without limitation, loss arising from a possible failure of the Checklist to incorporate any applicable Australian Standards or identify any regulatory or statutory requirements or other risks or hazards beyond those mentioned in the Checklist.